		& MEDICAID SERVICES	454	Cernylli	FORM APPROVED OMB NO. 0938-0391
STATEMENT OF DEFICIENCIES (X1) PROVIDER		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		PLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
		445322	B. WING		04/20/2046
NAME OF	PROVIDER OR SUPPLIER		1	STREET ADDRESS, CITY, STATE, ZIP CODE	04/20/2016
WOOD F	PRESBYTERIAN HOM	E		520 OLD HIGHWAY 68 SWEETWATER, TN 37874	
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOL CROSS-REFERENCED TO THE APPRI DEFICIENCY)	JLD BE COMPLETION
F 000	INITIAL COMMENT	'S	F 000		
SS≔D	During annual recertification survey and complaint investigation of #37125, #37712, #38081, and #38549 conducted on 4/18/16 through 4/20/16, at Wood Presbyterian Home, no deficiencies were cited in relation to complaints under 42 CFR Part 483, Requirements for Long Term Care Facilities. 483.65 INFECTION CONTROL, PREVENT		F 441	Personal Protective Equipment, inclugowns, gloves, and masks, were place outside resident (#134) room on 4/18. No other residents were in contact is on 4/18/16. All staff will be in-serviced by June 1 on proper use and placement of Personal Protective Equipment outside the door isolation room. Charge Nurse and/or Case Manager wobserve for compliance with resident in isolation for appropriate Personal Protective Equipment, including gown gloves, and masks, outside of an isolat room. Director of Nursing will monit compliance. Director of Nursing will findings in Quality Assurance meeting Audit will continue as directed by the Quality Assurance committee.	ed /16. plation , 2016 onal or of an vill placed ns, tion or report gs.
/ A		RISUPPLIER REPRESENTATIVE'S SIGNA	TURE	Admistrator	(X6) DATE
/ ~ 1	mes 10 cgs	ren		1 paragration	J-3-16

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

FORM CMS-2567(02-99) Previous Version Viscotet 2016

DEPARTMENT OF HEALTH AND HUMAN SERVICES

PRINTED: 04/25/2016

DEPAR	TMENT OF HEALTH	AND HUMAN SERVICES						. U4/25/2016	
CENTE	RS FOR MEDICARE	& MEDICAID SERVICES						APPROVED . 0938-0391	
STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER;		(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED		
		445322	B. WING	B. WING			04/	20/2016	
NAME OF	PROVIDER OR SUPPLIER		<u> </u>	STREET ADDRESS, CITY, STATE, ZIP CODE					
WOOD F	PRESBYTERIAN HOM	E			OLD HIGHWAY 68 EETWATER, TN 37874				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			PROVIDER'S PLAN OF CORRECTION FIX (EACH CORRECTIVE ACTION SHOULD BE G CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)				(X5) COMPLETION DATE	
F 441	Continued From pa hand washing is ind professional practic (c) Linens Personnel must har transport linens so a infection.	licated by accepted	F 4	41					
	by: Based on facility poreview, observation, failed to follow their appropriate personal visitors and staff at the transmission of an information of the staff at								
	Review of the facility undated revealed " personnel with a guid with the diagnosis of to prevent the transh to othersResidents will be placed on corpersonnel, physician others must practice precautionsVisitors contact precautions presidentsProcedure precautions for sympshould wear gloves wroomspersonnel should sympshould sy	r policy, Clostridium DifficileObjectiveTo provide all de in the care for residents C.[Clostridium] difficile and nission of Clostridium difficile s with diagnosis of C. difficile ntact precautionsAll , technicians, students, and contact s must be instructed in prior to visitation with							

DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES): 04/25/2016 A APPROVED
			τ	_	•). 0938-0391
STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		445322	B. WING	3_		04	/20/2016
NAME OF PROVIDER OR SUPPLIER WOOD PRESBYTERIAN HOME					STREET ADDRESS, CITY, STATE, ZIP CODE 520 OLD HIGHWAY 68 SWEETWATER, TN 37874	<u>, , , , , , , , , , , , , , , , , , , </u>	.2012010
(X4) ID PREFIX TAG	EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC (DENTIFYING INFORMATION)	ID PREF TAG	ΪX	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOUL) CROSS-REFERENCED TO THE APPROPED DEFICIENCY)) BE	(X5) COMPLETION DATE
F 441	Continued From pa will be assigned to r	-	F ²	441	1		
	was admitted to the diagnoses including Clostridium Difficile,	ew revealed Resident #134 facility on 3/25/16 with Enterocolitis due to Dementia, Hypertensive ease, and Chronic Kidney					
	3/21/16 revealed the culture (stool specin Clostridium Difficile cause symptoms rai	ew of a Lab report dated resident had a positive stool nens tested for toxins) for (infectious bacteria that can aging from diarrhea to mation of the colon).					
	3/25/16, revealed an Contact Isolation Pre- gloves to prevent the	w of a Physician Order dated order for "Standard ecaution (wearing a gown and expread of infection by or virus) D/T [due to] + stridium Difficile]"					
	dated 3/25/16, revea planned for a self-ca the disease process. the resident was adn	w of the resident's Care Plan led Resident #134 was care re deficit related to effects of Continued review revealed nitted with a diagnosis of and was on contact isolation.					
	Data Set (MDS) date #134 had a Brief Mer indicating the residen	nt was severely cognitively review revealed the resident		!			

Observation of Resident #134's room on 4/18/16

PRINTED: 04/25/2016 DEPARTMENT OF HEALTH AND HUMAN SERVICES FORM APPROVED CENTERS FOR MEDICARE & MEDICAID SERVICES OMB NO. 0938-0391 STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING 445322 B. WING 04/20/2016 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE **520 OLD HIGHWAY 68** WOOD PRESBYTERIAN HOME SWEETWATER, TN 37874 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION ID (X5) COMPLETION DATE (EACH DEFICIENCY MUST BE PRECEDED BY FULL PRÉFIX (EACH CORRECTIVE ACTION SHOULD BE PREFIX REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Continued From page 3 F 441 at 5:30 AM, on the Skilled Hall, revealed an orange sign on the resident's door with the instructions to report to the nurse's station before entering the room. Continued observation revealed no personal protective equipment (gowns, mask and gloves) available for use outside of the resident's room. Observation of Resident #134's room on 4/18/16 at 10:31 AM, on the Skilled Hall, revealed a box of gloves located in the resident's room on the wall behind the resident's door. Continued observation revealed no personal protective equipment readily available for use outside of the resident room for staff and visitors. Interview with License Practical Nurse #1 on 4/18/16 at 10:36 AM, on the Skilled Hall, outside of the resident's room, confirmed the staff did not don gowns when entering resident #134's room. Continued interview confirmed the staff did not don gloves prior to entrance into the resident's room. Further interview confirmed staff donned gloves once inside of the resident's room from the box of gloves located behind the resident's door. Continued interview confirmed there was no personal protection equipment outside of resident #134's room which would include disposable gowns and gloves for staff and visitors use upon entering the resident's room.

Interview with the Director of Nursing on 4/18/16 at 11:28 AM, on the Skilled Hall, outside of

Resident #134's room, confirmed the facility failed to have staff and visitors don gloves and gowns prior to entering the resident's room as was their policy. Continued interview confirmed the facility failed to provide and have readily available the appropriate personal protective equipment for

		AND HUMAN SERVICES			FOR	J. 04/25/2016 MAPPROVED			
CENTERS FOR MEDICARE STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING		OMB NO. 0938-0391 (X3) DATE SURVEY COMPLETED				
		445322	B. WING		0.	1/20/2016			
NAME OF	PROVIDER OR SUPPLIER		' 	STREET ADDRESS, CITY, STATE, ZIP CODE	,0-	WZUIZU 10			
WOOD PRESBYTERIAN HOME			520 OLD HIGHWAY 68 SWEETWATER, TN 37874						
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORREC' (EACH CORRECTIVE ACTION SHOI CROSS-REFERENCED TO THE APPR DEFICIENCY)	SHOULD BE COMPLETION				
F 441		ge 4 e outside of the resident's transmission of infections to	F 441						